

Table of Contents

Login Process.....	2
Understanding reCAPTCHA.....	2
The Tour Plugin.....	4
Tour of the mail view.....	4
The Mail View.....	5
Mail Quota Miniview.....	5
Add To Blacklist/Whitelist.....	6
Reporting Feedback.....	7
Mail Filter.....	8
Contacts View.....	8
Contact Importing From Previous Webmail.....	8
Calendar View.....	9
Creating Events.....	9
Editing Events.....	11
Importing/Exporting Events.....	12
Settings.....	12
Preferences.....	12
User Interface.....	13
Mailbox View.....	14
Displaying Messages.....	15
Composing Messages.....	16
Address Book.....	18
Special Folders.....	19
Server Settings.....	20
Message Highlights.....	21
Calendar.....	22
Folders.....	24
Identities.....	26
Adding Images to a Signature.....	27
Responses.....	27
Password.....	28
Mailbox Quota.....	29
2-Factor Authentication.....	30
Web Quota.....	34
Mail Settings.....	35
Mail Filter.....	36
Main mail view.....	36
Settings.....	38
Policies.....	38
Status.....	39

Welcome to the New Alliance Webmail

Hello!

Alliance will be transitioning to a new webmail platform on Nov. 10 – Dec. 10.

This platform will offer you more security because it has two-factor authentication. Two-factor authentication is an extra layer of security designed to ensure that you're the only who can access your account, even if someone knows your password.

Plus, you'll receive four times more storage compared to what you have now.

How to prepare for the transition:

1. Your contacts list will transition over to the new platform. However, you will need to rebuild your friends and enemies list for your spam filter.
2. Make sure important email addresses are saved into your webmail address book if you want them to transition to the new webmail platform. Email addresses that autofill but aren't entered into your address book won't transition to the new webmail platform.
3. Please use your entire email address when logging in or authenticating your email, not just the portion before the @ sign.

The pages below contain instructions for the new webmail platform. If you have questions, please don't hesitate to contact us by dialing 611 from any phone with Alliance service or (605) 582-6311 from your cell phone. You also can send a message to email@alliancecom.net.

Sincerely,

Alliance Communications

Login Process



Understanding reCAPTCHA

If you are on your ISP's network, reCAPTCHA will not appear. If you are not on your ISP's network, reCAPTCHA will appear.

"reCAPTCHA", or as stated as the acronym, "Completely Automated Public Turing test to tell Computers and Humans Apart" is a tool to deter bots and hackers. Typically, automated bots all around the world crawl web pages for login forms that may appear as if there is no security on them. This could include a form that sends an email out when you submit it, or a username/password form.

Not only will this tool help greatly to fight against these types of attacks, analytic information is also automatically collected to help us get a better look at what out there is attempting to attack the login form. This will aid for future projects, and may also spark interest to the curious eye.

When you visit the login page, The 'Login' button will be disabled. (See the red arrow.) This behavior is because the reCAPTCHA checkbox has not yet been checked. Once you have checked the box, and the reCAPTCHA verification process passes, the Login button will be enabled.





If you have never seen a reCAPTCHA verification form before and cannot log in, A 'Need help logging in?' button is below. (See blue arrow above). This will fire up a miniature tour on the login process, and explain the process a little deeper. (Above Image)

Please note, After many failed attempts, (around 5), You may be requested to click on images that have specific items in them. This is to verify that the connection is not a bot on the internet. (See image) Once you have passed validation, The checkbox will be populated, and you will be able to log in.




The Tour Plugin

Tour of the mail view



When you log in, you will have the option of viewing the tour on every view. The button to begin the tour is in the very top left corner. This will dim the entire screen, and give a clickable 'tour' through every view, including the Mail View. The 'Exit' button will halt the tour and place you in the main view. The 'Next' button will continue the tour.

Once all of the tour slides have been viewed, The buttons will be replaced with a single 'Done' button. When you click this button, this will end the tour.




If something needs to be updated, or you spot a potential typo, please file a bug report.

The Mail View




Mail Quota Miniview

When you are logged in and viewing the main Mail View, The email quota will be viewable on the bottom left corner. This, along with the mail quota in settings, is in real time. Below is an example of the graph:



The color of this graph will change depending on the percentage of usage you are at. If it is greater than or equal to 85%, The text will appear red, and the graph will appear yellow. After 90%, both the text and the graph will appear red.


A warning will also be displayed when you are close to being over quota. (>90%, see image).




When you have reached 100% quota, An error message will appear on the screen. Mail functions may be altered as well from a result of this.

Add To Blacklist/Whitelist

Directly in the mail view are options to add the currently selected email into a users “enemies” list. When you click on one of these options, The “From” field of the email will be extracted, and added into the appropriate list. (See images)




Multiple messages are also able to be selected and added into either list. This is done by clicking one message, holding either Ctrl or Shift, and selecting more. Duplicate entries will be consolidated into one entry.



Reporting Feedback

If you would like to voice your opinion on a certain element within webmail, A button exists in the top left corner that will allow you to do this. (See image)





Once clicked, A new window will populate over the main mail view. This window will not submit information until the “Your Name” field has been filled out.

Once you have clicked “Post”, An email with the information will be sent to the developers.

A screenshot of a 'Feedback' form window. The window has a title bar with a close button. Inside, the title is 'Feedback'. Below it, the text says 'Please provide your feedback below.' followed by 'How do you rate your overall experience?'. There are three radio buttons: 'Bad', 'Average', and 'Good'. Below these is a 'Comments:' label and a text area for 'Your Comments:'. Below the text area is a 'Your Name:' label and a text field. At the bottom is a blue 'Post' button.

Mail Filter

To access the mail filter,
Click the “Email Filter” button
located in the top left for the skin
‘Larry’




And the top right in the skin ‘Classic’.

Contacts View

Contact Importing From Previous Webmail

When you first click on “Contacts”, A silent process will begin in the background. This process will connect to the database associated with the previous webmail, search for contacts based on the currently logged in user, And migrate them into the current webmail. **Note:** **This process will happen only once.**




A constant sync of contacts between both instances will not be put in place. Why? Not only would this put unnecessary stress on the system that handles this type of data, but this increases the chance of manipulating the data between the two incorrectly, because a portion of data exists in one instance, but not the other. Duplicates, incorrectly removed/added entries, as well as incorrectly grouped contacts could happen.

Calendar View


Creating Events

To create an event, You can either click/double click on the main calendar view, or the “New event” button located in the top left.



When the “New event” window opens, You will be presented with quite a bit of options.

Here is a quick breakdown of all of them:

The image shows a 'New event' window with three tabs: 'Summary', 'Recurrence', and 'Participants'. The 'Summary' tab is active. It contains several input fields: 'Summary' (a large text area), 'Location' (a text field), 'Description' (a large text area), and 'URL' (a text field). Below these are date and time pickers for 'Start' and 'End', both set to '2018-11-06'. There is a checkbox for 'all-day' which is checked. Below the dates are dropdown menus for 'Reminder' (set to 'None'), 'Calendar' (set to 'Default'), 'Category' (set to '---'), 'Status' (set to '---'), 'Show me as' (set to 'Busy'), 'Priority' (set to '---'), and 'Privacy' (set to '---'). At the bottom are 'Save' and 'Cancel' buttons.

The “Summary” tab:

Summary: This is what will be displayed on the Calendar itself after the event is created. A basic overview of the event. This field is optional, however it is discouraged to leave this field blank.

Location: Where the event will be. This field is optional.

Description: A short breakdown of what this event entails.

URL: A website that you may want to link to regarding this type of event.

Start/End: The beginning and the end of the event time.

Reminder: Set a reminder, that will alert you through a message in webmail.

Calendar: Which calendar this event should go under.

Category: Which type of event this is. The current options are Personal, Work, Family, and Holiday.

Status: Your current status with this event, The current options are Confirmed, Cancelled, and Tentative.

Show me as: When the event is in progress, This is how your status will appear. The current options are Free, Busy, and Tentative.

Priority: A basic scale from 1 to 9, to show how important this task is. 1 being the highest, and 9 being the lowest.

Privacy: Set the view mode of this event. The current options are Public, Private, and Confidential.

The “Recurrence” Tab:

Repeat: This option will allow you to set up recurring events, based on popular repeat frequencies such as daily, weekly, and so on.

Every: Frequency of specified Repeat option noted above. For example, If “daily” is selected, this option will allow you to specify “every x days”.


Until: Repeat this process, until this conditional.


The “Participants” Tab:

This tab allows you to add participants, assigning them roles, and checking their availability before hand. The users in this list will also be sent an invitation to the email address listed in the “Participant” column.

Editing Events

To edit an already existing event, click on the event within the main calendar view.






This will bring up another window that will give you a short breakdown of the current event. The viewing status will also be in the upper right hand corner of this window. (Private, Confidential, etc.). You may edit this event, Which will bring up the original event create window, Delete this event, or bring up more options including downloading this event, sending it to a participant, or copying the event.

Importing/Exporting Events

To import events, Click the “Import” button towards the top left of the calendar view. (see image) The expected format for importing events will need to be in the ‘.ics’ format. When importing, The option to choose which calendar to import to, as well as “event from” will be selectable.

To export events, Click the export button. When exporting, The option to choose which calendar and which events will also be selectable.



Settings

Preferences

To change your user preferences, Select “Preferences” in the left column. This will expand more sub-options to the right, in the “Section” column.

Settings	Section
 Preferences	 User Interface
 Folders	 Mailbox View
 Identities	 Displaying Messages
 Responses	 Composing Messages
 Password	 Address Book
 Mailbox Quota	 Special Folders
 2-Factor Authentication	 Server Settings
 Web Quota	 Message Highlights
 Mail Settings	 Calendar

User Interface

This section covers most of the elements contained within the user interface, including date formats, refresh intervals, and interface skins.

User Interface (all options)

User Interface

Main Options

Language: English (US) ▼

Time zone: Auto ▼

Time format: 07:30 ▼

Date format: 2018-07-24 ▼

Pretty dates: ☒

Refresh (check for new messages, etc.): every 15 minute(s) ▼

Interface skin

 **Classic**
by The Roundcube Dev Team
License: Creative Commons Attribution-ShareAlike

 **Larry**
by FLINT / Büro für Gestaltung, Switzerland
License: Creative Commons Attribution-ShareAlike

Browser Options

Handle popups as standard windows: ☐

[Register protocol handler for mailto: links](#)

Language: Choose between a large list of languages. (Please note, Not all features may work correctly if another language is chosen.)

Time zone: If you would like to choose your timezone, this will be chosen automatically otherwise.

Time format: Different formats to display the time.

Date format: Different formats to display the date.

Pretty dates: With this option checked, dates close to today will be translated into relative terms like “Today”, “Yesterday”, etc.

Refresh: How often webmail should consult the mail server to check for new messages.


Interface Skin: Choose between “Classic” (which closely resembles the previous webmail), or the new skin “Larry”.

Handle popups as standard windows: When webmail opens messages or the compose form in a new window, this can either be a detached window with a smaller size and without toolbar buttons or, with this option activated, be a regular browser window or even just another tab in your current window. If enabled, all windows opened by the webmail application obey the settings of your browser.

Register protocol handler: You can register this webmail app to be opened when ever you click an email link somewhere on the web

Mailbox View

The settings within the mailbox view changes how the webmail environment appears when in the mail view, as well as how notifications are handled.



The screenshot shows the 'Mailbox View' settings panel. It is divided into two sections: 'Main Options' and 'New Message'. The 'Main Options' section includes settings for Layout (Widescreen (3-column view)), Mark messages as read (immediately), On request for return receipt (ask me), Expand message threads (never), and Rows per page (50). The 'New Message' section includes settings for Check all folders for new messages (unchecked), Display browser notifications on new message (checked with a 'Test' link), Play the sound on new message (checked with a 'Test' link), and Close desktop notification (after 10 seconds).

Mailbox View	
Main Options	
Layout	Widescreen (3-column view) ▼
Mark messages as read	immediately ▼
On request for return receipt	ask me ▼
Expand message threads	never ▼
Rows per page	50
New Message	
Check all folders for new messages	☐
Display browser notifications on new message	☒ Test
Play the sound on new message	☒ Test
Close desktop notification	after 10 seconds ▼

Mailbox View (all options)

Layout: Choose between “Widescreen”, “Desktop”, and “List”. This will change how your mail view appears.

Mark messages as read: Apply a delay between viewing the message, and marking it as read.

On request for return receipt: This option controls the behavior when the message you received has a return receipt associated with it.

Expand message threads: When listing messages in threads, this option controls how conversation groups are expanded in the list.

Rows per page: The messages list displays this number of messages at a time (aka a “page”). Increasing this number may result in longer loading times when opening a mailbox folder.

Check all folders for new messages: By default, only the Inbox is checked for new messages periodically. If you have server-side filters installed that will move incoming messages to other folders, you should check this option. **Note: Currently server side filters are not implemented. Once they are, this option will be of more use.**

Display browser notifications on new message: When a new message arrives, checking this box will change the favicon in your browser to alert you to a new message.

Display desktop notifications on new message (SSL only): This option will not be selectable unless your connection is over SSL. If it is however, This will display a notification, directly to your computers desktop.

Play the sound on new message: When a new message arrives, A sound will play.

Close desktop notification (SSL only): How long the desktop notification will stay on screen. If your connection is not over SSL, this option will be hidden.

Displaying Messages

This set of options controls how messages in the mail view should be displayed.

Displaying Messages	
Main Options	
Open message in a new window	☐
Show email address with display name	☐
Display HTML	☒
Display remote inline images	never ▼
Display attached images below the message	☒
After message delete/move display the next message	☒
Display emoticons in plain text messages	☐
Advanced options ⊖	

Open message in a new window: With this option checked, double-clicking a message in the email view will open it in a new window instead of the current browser window/tab.

Show email address with display name: When checked, The email address will be appended to the sending email address. When not checked, Only the display name is shown.

Display HTML: Check this option to display formatted messages as the sender intended it. When disabled, formatted emails will be converted to plain text.

Display remote inline images: Formatted (HTML) messages can contain references to images which have to be loaded from a remote server. That can harm your privacy and reveal to the sender that you opened the message. This technique is often used by spammers to verify that your email address works and you can be sent more spam.

Display attached images below the message: Enable this option if you want image attachments being displayed below the message text.

After message delete/move display the next message: Controls whether the screen should jump to the next message in the list when opening an email message (not in the preview pane) and then move or delete it.

Display emoticons in plain text messages: When a specific pattern of characters are found, such as “:)” or “:(“, these will be translated into emoticons.

Composing Messages

These settings control the look and feel of composing a message to someone.

Composing Messages

Main Options

- Compose in a new window ☐
- Compose HTML messages never ▼
- Automatically save draft every 5 minute(s) ▼
- Always request a return receipt ☐
- Always request a delivery status notification ☐
- Place replies in the folder of the message being replied to ☐
- When replying start new message below the quote ▼
- Messages forwarding inline ▼
- Default font of HTML message Verdana ▼ 10pt ▼
- Default action of [Reply all] button reply to all ▼
- Enable emoticons ☒

Signature Options

- Automatically add signature always ▼
- Place signature below the quoted message ☐
- When replying remove original signature from message ☒
- Force standard separator in signatures ☒

Spellcheck Options

- Check spelling before sending a message ☐
- Ignore words with symbols ☐
- Ignore words with numbers ☐
- Ignore words with all letters capitalized ☐

Save

Compose in a new window: With this option checked, the message compose form will open in a new window instead of the current browser window/tab.

Compose HTML messages: Check this option to enable the rich text (HTML) editor when start to compose a new message. This is only the default setting for HTML message composing. It can be toggled at any time while composing.

Automatically save draft: While you write a new message, a copy will be saved to the Drafts folder ever few minutes. Select the interval or disable the automatic saving here.

Always request a return receipt: Activate the “Return receipt” sending option by default for new messages.

Always request a delivery status notification: Activate the “Delivery status notification” sending option by default for new messages.

Place replies in the folder of the message being replied to: Choose the current folder for saving the reply message to instead of saving it to the “Sent” folder.

When replying: This option controls whether and where to place the quoted original text when replying to a message.

Messages forwarding: Controls the mode how messages are forwarded by default when clicking the Forward button without choosing a forward mode.

Default font of HTML message: When writing a formatted (HTML) message, this font face and size is used for the default text formatting.

Default action of [Reply all] button: When replying to messages coming from mailing lists, this setting controls how to reply to them.

Enable emoticons: Enables emoticons to be used in the message when it arrives at its destination.

Automatically add signature: Select in which cases the signature text from your sender identity is added to a new message.

Place signature below the quoted message: When replying to a chain, This will enable your signature to be placed underneath it.

When replying remove original signature from message: As the name suggests, this setting removes detected signatures from the original message when citing it in the reply.

Force standard separator in signatures: When checked, two dashes (“--”) will be added before your signature.

Check spelling before sending a message: Before the message is sent, it is ran through a spell check, any errors will be underlined. You may click on the word to bring up a menu that allows you to select the proposed correct word.

Ignore words with symbols: Do not spell check words with symbols.

Ignore words with numbers: Do not spell check words .

Ignore words with all letters capitalized: Do not spell check all capitalized words.

Address Book

These settings will control how contacts are handled and displayed.

Default address

book: Select the default address book where new contacts are saved to when adding them from the mail view.

List contacts as: Choose how names are displayed in the contacts list.

Sorting column: Select the contact attribute used for sorting the contacts in the list.

Rows per page: The number of contacts displayed at a time (aka a “page”) in the contacts list.

Skip alternative email addresses in autocompletion: With this option checked, every contact will only appear once in the autocompletion list that appears when you start typing in the recipient field. The first email address of the selected contact will then be inserted. If disabled, all email addresses of a matching contact are displayed for selection.

Use automatic address book: When sending a message to someone, Have the email address be automatically added to your contacts

Use automatically collected addresses for autocompletion: When composing a message, Addresses that have been automatically collected will appear when beginning to fill out the “From” field.

Special Folders

Some folders have special purposes and are used by system processes to store messages. This form allows you to choose which folders are used to store Drafts, Sent or deleted messages (Trash).

Special Folders


Main Options

Show real names for special folders	☐
Drafts	Drafts ▼
Sent	Sent ▼
Junk	--- ▼
Trash	Trash ▼

Show real names for special folders: With this setting enabled, the original names of the assigned special folders are displayed in the folders list instead of localized names.

Server Settings

This section provides more advanced settings that control how messages are treated by the email server.



The screenshot shows a 'Server Settings' dialog box. It has a title bar 'Server Settings'. Below the title bar, there are two sections: 'Main Options' and 'Maintenance'. The 'Main Options' section contains four settings, each with a checkbox: 'Mark the message as read on delete' (checked), 'Do not show deleted messages' (unchecked), 'If moving messages to Trash fails, delete them' (unchecked), and 'Directly delete messages in Junk' (unchecked). The 'Maintenance' section contains two settings, each with a checkbox: 'Clear Trash on logout' (unchecked) and 'Compact Inbox on logout' (unchecked).

Main Options	
Mark the message as read on delete	☒
Do not show deleted messages	☐
If moving messages to Trash fails, delete them	☐
Directly delete messages in Junk	☐

Maintenance	
Clear Trash on logout	☐
Compact Inbox on logout	☐


Mark the message as read on delete: With this option enabled, unread messages are also flagged as read when deleting them right away.

Do not show deleted messages: This option suppresses messages flagged as deleted from being listed.

If moving messages to Trash fails, delete them: Moving to Trash can fail if the Trash folder isn't selected or over quota. With this option enabled, messages are deleted from the current folder when you attempt to move them to Trash.

Directly delete messages in Junk: Messages in the Junk folder are also move to the Trash first when deleting them. Skip that step by enabling this option.

Clear Trash on logout: As the option name says, this will empty the Trash folder when you terminate the session.



Message Highlights

Message Highlights will allow you to mark messages a specific color based on a ruleset. The current rulesets that you may define include:


From: When a message has come in and the “From” header, (The email address), matches this rule, color the message differently.

Subject: When a message has come in and the “Subject” header matches this rule, color the message differently.


To: When an email is sent, If the “To” header matches this rule, color the message differently. This will mark messages in the “Sent” folder.

Cc: When a message contains a “carbon copy” that matches this rule, color the message differently.

Below is an example of what an email will appear as when a rule is matched.



The color can be changed by clicking on the “color” box:



Calendar

The calendar has many options that you may configure to enhance your overall experience.

Calendar

Main Options

Default view

Week

Time slots per hour

6

First weekday

Monday

First hour to show

06:00

Working hours

06:00

–

18:00

Event coloring

According to calendar

Default reminder setting

None

15

minutes before

Create new events in

Default

Event Invitations

After an invitation or update message is processed

Do nothing

Categories

Personal

#c0c0c0

X

Work

#ff0000

X

Family

#00ff00

X

Holiday

#ff6600

X

Add category

Birthdays Calendar

Display birthdays calendar

☐

From these address books

☐ Personal Addresses

☐ Automatically Collected

Show reminders

None

1

days before

Default View: When first clicking on the calendar tab, Display this view first.

Time slots per hour: How many slots to show in either the “Week” or “Day” view. Example with 6 timeslots:

06:00	
06:10	
06:20	
06:30	
06:40	
06:50	
07:00	

First weekday: In the mini calendar, as well as some portions of the main calendar view, Set this day to be the first weekday.

First hour to show: In the main calendar view, on either “Week” or “Day” view, show this hour at the top of the calendar.

Working Hours: Set this to the time you are typically at work, to automatically detect conflicts when accepting invites.

Event coloring: Color events based the Calendar or the Category, Including the outline of both.

Default reminder setting: Set your default reminder when creating new events.

Create new events in: Set the default calendar to place events in when creating them.


After an invitation or update message is processed: When a invitation has been updated, Do this action to the original email with the invitation.

Categories: Here is where new categories can be created and default colors can be assigned.

Display birthdays calendar: Add a new calendar into the Calendars list that will display birthdays.

From these address books: Choose which address books contains the birthdays.


Show reminders: Set a reminder when a birthday is close. You can choose between minutes before, hours before, and days before.



Folders

This section will allow you to create, remove and manage viewability of folders in the main mail view.

To create a new folder, Click the “Create Folder” button, located below the “Folders” column:



Folder properties

Location

Folder name

Parent folder ---

Settings

List view mode List


Save **Cancel**

Once clicked, a new window will populate to the right of the Folders column.



Provide the Folder name, The parent folder, and the default view mode. The default view mode will automatically select the “List” or “Threads” view when viewing mail within this folder.

After filling out the options, click save to apply your changes.

The current quota usage for all folders combined will be displayed next to the “Add” button at all times. This will also change colors to better alert you when your quota is almost full.



When a folder is selected, You may edit the existing configuration as noted above. However the current size of only this folder can be viewed by clicking on “Click here to get folder size”



To empty a folder of all email, Select the folder and choose “Empty” under the settings button.

Identities

The settings here control the name(s) and email address(es) stated as sender when you send out email messages.

The screenshot shows the 'Identities' settings window. The left pane lists two identities: 'email@alliancecom.net <email@alliancecom.net>' and '<test> <email@alliancecom.net>'. The right pane is titled 'Add Identity' and contains a 'Settings' section with input fields for 'Display Name', 'Email', 'Organization', 'Reply-To', and 'Bcc', along with a 'Set default' checkbox. Below this is a 'Signature' section with a large text area for the signature and an 'HTML signature' checkbox. A 'Save' button is at the bottom right of the right pane.

Display name: The full name displayed in the recipient's email program upon receiving your message

Email: The email address stated as sender of email messages you send with this identity. Please enter a valid email address that is handled by your email account. Otherwise message sending might fail because of an invalid sender address.

Organization: Some email programs display the organization field when receiving messages from you with this filled out.

Reply-To: Enter an email address that differs from the identity's email address here in order to force recipients to send answers to that address instead of the sender email address.

Bcc: Specify an email address here that will receive blind copies of every message you send with this identity.

Set default: Check this box to make the current identity the default selection when writing new messages. You can still chose another sender identity while composing a message, though.


Signature: Enter the signature text here.

HTML signature: Check this option if you mainly send formatted (HTML) messages and to enable formatting of your signature. The text box above will then show a toolbar to adjust formatting.

Adding Images to a Signature

HTML formatted signatures also allow to embed images which are sent with outgoing messages. To add an image to your signature, first check the HTML signature box. Then find an image file on your computer and drag & drop it into the signature box. The image can be moved around or resized within the editor box using the mouse.

Responses




The screenshot shows a window titled "Add response". Inside, there is a "Name" label followed by a text input field. Below this is a large "Response Text" area, which is a rich text editor with a toolbar and a text area. At the bottom left of the window is a "Save" button.

This settings section lets you manage your personal boilerplates (aka “canned responses”) which are handy when replying to messages with prepared responses.


Click the + icon in the response list footer to create a new response. Give it a name, enter the response text and finish with clicking the Save button.

Password

This tab will allow you to change the password of the currently logged in account, If your ISP allows this type of change. Here is an example of the password view. To change your password, type your current password, and then your desired password twice. Once into the New Password field, and again into the Confirm New Password field.



The screenshot shows a web form titled "Change password". It contains three input fields: "Current Password:", "New Password:", and "Confirm New Password:". The "Current Password:" field is highlighted with a blue border, indicating it is the active field. Below the fields is a bullet point stating "Password must be at least 8 characters long." and a "Save" button.





The screenshot shows the same "Change password" form, but with a yellow warning banner at the top that reads "Please call the main office at 123-123-1234". The input fields are now disabled (grayed out). The "Save" button is also disabled (grayed out).

If your ISP does not allow password changes, No changes can be made. A banner will populate above the fields, and no buttons or text entries will be selectable.

Mailbox Quota

To view your mailbox quota, Click the Mailbox Quota tab. This will present an intractable graph with your quota in real time.



You may also hover your mouse over the pie graph for a more detailed sizing of your quota.

2-Factor Authentication

2-Factor Authentication helps tremendously with securing your account. The basis behind 2FA is that another form of authentication is required before the initial login is allowed. When this feature is enabled, You will need to provide your email address and password, and then a “rolling code” that is generated every minute by popular 2FA apps such as Google authenticator.

Please note: When 2FA is enabled, you will need an external app to pair to your account. If something happens to the device that is paired with your account that generates the codes you will have to use a recovery code, or have the 2FA configuration reset.

When you first click the tab, You will be presented with the configuration pane. None of the fields will be filled out:

2-Factor Authentication - email@alliancecom.net

Activate ☐

Secret [Show secret](#)

Recovery codes [Show recovery codes](#)

QR Code [Show QR Code](#)

You can scan this QR code containing the 2-Factor settings using a TOTP compatible app such as [google-authenticator](#)

[Save](#)

[Check code](#)

 2-Factor Authentication is currently disabled

A quick breakdown of the options are as follows:

Secret: This is the passphrase that will be shared between the client and the server to generate one time passphrases. This secret will be stored on the device you use 2FA for, for example, your Android or iOS device.

Recovery Codes: These sets of codes can be used to gain access to your account if something should happen to the device that is handling generating the one time passcode.

Check Code: When everything is set up on your device to handle passcode generation, You must enter one of the rolling passphrases into this field. Once you fill the field out and click “Check code”, you will be able to save your settings, and your account will be fitted with 2FA.

2-Factor Authentication - email@al

Activate ☒

Secret

Recovery codes

You can scan this QR or

To activate 2FA, Click the “Activate” checkbox at the top of the view.

Once the “Activate” button has been checked, Click the “Fill all fields” button.

2-Factor Authentication - email@alliancecom.net

Activate ☒

Secret **Create secret**

Recovery codes **Show recovery codes**

You can scan this QR code containing the 2-Factor settings using a TOTP compatible app such as [google-authenticator](#)

Save **Fill all fields (make sure you click save to store your settings)**

Check code

2-Factor Authentication is currently disabled

This will automatically fill all of the required fields for 2FA. Please copy the recovery codes (Underlined in yellow) somewhere private and secure.

2-Factor Authentication - email@alliancecom.net

Activate ☒

Secret **Hide secret**

Recovery codes UOPLDOBQ6T TZ5N4O7URE FOPIUZH1P 2XZSGUATM4 **Hide recovery codes**

Hide QR Code

QR Code 



You can scan this QR code containing the 2-Factor settings using a TOTP compatible app such as [google-authenticator](#)

Save **Fill all fields (make sure you click save to store your settings)**

Check code


After the fields have been filled out, Click on “Show QR Code”. This will display the QR code used for your device to generate the One time passphrases. (Green arrow in image above)

Open up your 2FA app on your device and scan this QR code. Depending on the app, this should be the only step. In this example, Google Authenticator is used. Once the app is opened, you will be presented with an option to add an account. Tap on “Scan a barcode”.




This will ask for permission to access the camera on your device, and then present you with the scanning tool. Point your camera at the QR code within webmail, and the account will automatically add into your phone.

Once the account has been added, You will be presented with your rolling codes. (Underlined in red). When logging in, You will need to enter your username, password and click the reCAPTCHA confirmation as normal.



After this you will be presented with a window to place your rolling code. Enter your code as it appears in your app, and click "Login".



Once 2-Factor authentication is enabled, The status indicator will change to “2 Factor Authentication Is Currently Enabled”.

2-Factor Authentication - email@alliancecom.net

Activate ☒

Secret [Show secret](#)

Recovery codes [Show recovery codes](#)

QR Code [Show QR Code](#)

You can scan this QR code containing the 2-Factor settings using a TOTP compatible app such as [google-authenticator](#)


[Save](#)


[Check code](#)

 **2-Factor Authentication is currently enabled**

Web Quota

Similar to the mail quota, if your account has web services on it this tab will show you your current web space usage. Compared to the mail quota however, the web quota information is updated **every 24 hours, and is not real time.**





This graph is also intractable, hovering over one of the slices will provide you with more information.

The mail settings tab allows you to view common configuration options when setting up external clients outside of webmail. This information will include IMAP settings, SMTP settings, and other information.

Mail Settings


Mail Settings	
IMAP Settings	
Incoming mail server (POP or IMAP)	imap.alliancecom.net
Incoming IMAP port number (Non-SSL)	143
Incoming POP port number (Non-SSL)	110
Incoming IMAP port number (SSL)	993
Incoming POP port number (SSL)	995
SMTP Settings	
Outgoing mail server	smtp.alliancecom.net
Outgoing mail port number (Non-SSL)	25
Outgoing mail port number (SSL)	465
Other Information	
Email Address: email@alliancecom.net	
This connection is not secure over SSL	
Apple mobileconfig location: http://autodiscover.alliancecom.net/alliancecom.net/mobileconfig	

The apple mobileconfig location is a special file that can be used with iOS to automatically configure mail accounts into the native iOS mail app. To use it, Browse to the URL specified under Apple mobileconfig location on your Apple device and set your account up when iOS prompts you.

Mail Filter

Main mail view

The mail filter button will take you directly into your spam dashboard. This will open a new tab, and may get blocked by some browsers. Double check that your browser is not blocking pop ups if you are having issues opening the filter.



Messages Settings Policies Status

Release Delete Select All Download Message Print Message

2 Days Week 2 Weeks

Category	Cause	Release...	Date	Sender	From	Subject
Spam	2260018		11/27/2018 06:57 am	<XXXXXXXXXX>	sumahobiz@yahoo.co.jp	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
Spam	2301928		11/26/2018 10:01 pm	Tienda EXO	emblue3pr_xdo@emark13.emblu...	¡Cargá la batería de tu Celular con Energía Solar!
Spam	2075775		11/26/2018 08:35 am	София Аапар...	postmaster@nauop.ru	Тенепі зто посто.
Phishing	2429788		11/26/2018 09:48 pm	Mr. James Dee	master@ray.tn	YOUR TRUNK BOXES IS HERE ANANDONED
Spam	2460206		11/27/2018 05:15 am	frank_d32@cr...	frank_d32@credisur.e.telefonica.net	Your personal discount
Spam	2460206		11/27/2018 01:24 am	timothy.rodrig...	timothy.rodriguez@credinegocios...	Your personal discount
Spam	2460206		11/26/2018 09:26 pm	albert.coleman...	albert.coleman@credinegociosc...	Your personal discount
Spam	2460206		11/26/2018 06:53 pm	kingd52@credi...	kingd52@crediserv.net	Your personal discount
Spam	2460206		11/26/2018 07:49 am	harryd20@cre...	harryd20@credirapiofinaceira.c...	Your personal discount
Spam	2460206		11/27/2018 07:49 am	scott.thompso...	scott.thompson@creditandrepair...	Your personal discount
Spam	2460206		11/26/2018 07:11 pm	christopherd4...	christopherd45@credible.ca	Your personal discount
Spam	2460206		11/26/2018 05:32 pm	gregory.steven...	gregory.stevens@credicardin.com	Your personal discount
Spam	2460206		11/26/2018 09:13 am	nelsond71@cr...	nelsond71@creditarnet.com.br	Your personal discount
Spam	2460206		11/27/2018 07:03 am	james.wallace...	james.wallace@credisol.com.br	Your personal discount
Spam	2460206		11/27/2018 03:06 am	robert_d7@cre...	robert_d7@credisaurcv.e.telefonic...	Your personal discount
Spam	2460206		11/27/2018 03:05 am	aaron.martinez...	aaron.martinez@creditaxis.com	Your personal discount

Show Headers

```

00000000000000000000000000
| | | |
http://bit.do/eBA19

00000000

0000000000000000

0000000000
000000000000000000000000000000
0000000000000000

000000000000000000000000000000
0000000000000000

```

```

Show Headers
00000000000000000000000000000000
http://bit.do/eBA19
00000000
00000000000000000000000000000000
000000000000
00000000000000000000000000000000
0000000000000000
00000000000000000000000000000000
0000000000000000
00000000000000000000000000000000
0000000000000000

```

```

Show Headers
00000000000000000000000000000000
http://bit.do/eBA19
00000000
00000000000000000000000000000000
000000000000
00000000000000000000000000000000
0000000000000000
00000000000000000000000000000000
0000000000000000
00000000000000000000000000000000
0000000000000000

```

message to the original Inbox. This will also open another window that
y to the spam control vendor for classification (This helps aid spam
well as the option to open another window to modify your friends, enemies,
submitting the message.

the message from your quarantine.

every message that is viewable in the current time sort. (2 days, Week, 2

- Receive a local copy of the message, in ‘.eml’ format.

ns the print screen to physically print a copy of the email.

Settings

The “Settings” tab allows you to control the “Digest” settings, as well as set your time zone if not set correctly already. The Spam Digest is a message that will get sent to your inbox, giving you a breakdown of how much spam has been blocked, and other information.

The screenshot shows the 'Settings' tab in a web interface. It has a navigation bar with 'Messages', 'Settings', 'Policies', and 'Status'. The 'Digest Settings' section includes: 'Delivery Frequency' with radio buttons for 'Never', 'Daily' (selected), and 'Weekly'; 'Report Format' set to 'HTML'; 'Report Content' set to 'Red, Yellow & Green Zones'; and 'Order List By' set to 'Date & Time' with an 'Ascending' checkbox. The 'Time Zone Setting' section includes instructions to click on a world map and select a timezone. The map shows North America highlighted. Below the map, 'Time Zone' is set to 'America/Denver' and 'Your Date/Time' is 'Nov 27th, 07:51am'.

Policies

Here is where you may control how mail is handled when it is received by the spam filter. There are 3 zones, each with different capabilities and actions defined.

“Red Zone” - This includes email that could harm your computer. These categories include Spam, Virus, Phishing, Adult Spam, and BOT’s.

“Yellow Zone” - This includes mail that could potentially be suspicious due to the email body not being in English, or attachments that are rather dangerous, such as ‘.cab’, or ‘.bat’. You may add and remove languages, extensions, as well as the desired action when a message is

The screenshot shows the 'Policies' tab in a web interface. It has a navigation bar with 'Messages', 'Settings', 'Policies', and 'Status'. The 'Filter by Message Type' section shows three zones: 'Red Zone - Potentially dangerous mail' (red bar), 'Yellow Zone - Suspicious mail' (yellow bar), and 'Green Zone - Junk mail' (green bar). The 'Filter by Sender' section has two lists: 'Friends' and 'Enemies'. The 'Friends' list has a search bar and a 'Sender' field. Below it, a message says 'Your administrator has set up a Friends list for 'gwtc.net''. The 'Enemies' list also has a search bar and a 'Sender' field. Below it, a message says 'Your administrator has set up an Enemies list for 'gwtc.net''. The 'Sender' field in the Enemies list contains the email address 'darkcode@archnix6.net'.

received by clicking the drop down menus, or filling out an extension, and clicking the green cross icon.

“Green Zone” - This includes mail that does not have attachments, and would otherwise be classified as spam. There is one option and action defined for this zone.

You may also modify your friends and enemies list under the “Filter by Sender” section. To add an entry, insert an email address into the field below “Friends” or “Enemies” and click the green cross button.

Status

The status tab will include the currently selected mailbox name, Aliases that may be associated with the account, as well as some digest information such as when the last digest was sent.

